

KEEP IT WARM!



**KELVIN**  
THE THERMOKENNEL

KEEP IT WARM!



**KELVIN**  
THE THERMOKENNEL

KEEP IT WARM!



**KELVIN**  
THE THERMOKENNEL

KEEP IT WARM!



**KELVIN**  
THE THERMOKENNEL



**KELVIN**  
THE THERMOKENNEL

## Keeping the absolute best temperature for your dog.

Keep your dog at its ideal temperature with Kelvin, the Thermo Kennel. Low housing temperatures can stress your dog out; a warmer kennel means better rest and a happier, more productive dog.

The ideal temperature for dogs is between 10° and 26° Celsius. Kelvin captures and retains dogs' body heat through quality insulated walls, floor and door and can keep your dog up to 15° warmer on a cold winter's night. This insulation keeps them cooler through a hot summer and reduces noise, too.

### Fits Your Space


Kelvin packs down to 50% its volume for easy transport. It also fits into your existing standard dog run without attachments.

### Ventilation

A PVC flap over the kennel door allows for ventilation and prevents heat loss.

### Rugged construction, easy care

Interlocking parts ensure Kelvin is durable, rigid and will withstand chewing. Unlike a wooden kennel, Kelvin is made with environment- and UV-resistant plastic that won't go mouldy or deteriorate over time. Minimal parts, a removable latched roof and a drainage hole allow for easy cleaning and maintenance.



### High end insulation

Kelvin exceeds R2.8 in all walls creating a dry and warm micro-climate for your working dog. This insulation also provides a barrier against environmental noise.

### Fully sealed

The lock together design prevents water impress with capillary relief. The roof uses self-sealing watertight material while the tension sealing system and buckle clamps ensure a waterproof, wind resistant, weather tight interior.

### Raised floor

A raised and easily removable floor made from exterior grade plywood that is not chemically treated means the wet, frost and ground temperature won't disturb the interior climate.

### Secure in place

External base flanges secure the kennel to the ground or floor using hammered pegs or screwed fasteners.

Find out more at

[www.thermokennel.co.nz](http://www.thermokennel.co.nz)